

NINGBO SHUNYE ELECTRICAL APPLIANCES CO., LTD

- P Ruhu West Road, Simen Industrial Park, Yuyao, Ningbo, Zhejiang, China.
- Ø 0086-0574-58226188 58226567 58226569
- **1** 0086-574-62164068
- ≤ shunye@cnshunye.com
- Attp://www.cnshunye.com



AUTO ACCESSORIES

CAR AIR COMPRESSOR TOOL SET VACUUM CLEANER BATTERY CHARGER



Shunge

PROFESSIONAL MANUFACTURER SINCE 2002



Ningbo Shunye Electrical Appliances Co., Ltd.

COMPANY INTRODUCTION

Ningbo Shunye Electrical Appliance Co., Ltd founded in 2002 is a professional factory dedicated to the design, development and production of car accessories. Products include air compressor, battery charger, vacuum cleaner and tool set. The factory covers an area of 15000 square meters and has more than 200 employees, focusing on producing high-quality products for the automotive supplies industry.

Since Shunye was established nearly 20 years ago, we have been unswervingly giving priority to the quality of products. From design and development to production and assembly, every process strives for excellence. We integrate the purpose of "only creating high-quality goods" into every detail of products. While constantly improving the quality, Shunye also pays attention to the innovation. We have an experienced and skilled R&D team and always adhere to the belief of "making products from the perspective of customer consideration". At present, we have passed CE, ROHS, EMARK, ISO9001, BSCI and other international certifications. Our products are exported to more than 30 countries including America, Germany, England, Russia, Dubai and India. We are also important partners of Goodyear, Walmart, Auchan, ADEO and other well-known companies.

The cultivation of talents is attached great importance to Shunye and the concept of "excellent talent and management make an outstanding company" has always been adhered to. The factory has formed a complete talent management system. Both the R&D team and senior management are the top talents with excellent professional level in the industry.















KEEP IMPROVING, WORK TOGETHER TO CREATE A WIN-WIN SITUATION!







SY-5089L

- Air pressure: 150 PSI
- Cylinder diameter: 30mm
- Air hose: 4 meters PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 50 L/MIN

G.W./N.W.(kg)	MEAS(cm)
12 / 11.5	57.5*36.5*20.8
	Store



SY-5078L

- Air pressure: 150 PSICylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN

QTY	G.W./N.W.(kg)
4 PCS	12/11

lity rubber hose with cigarette lighter ters and 1 sports needle



















- Air pressure: 150 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN





SY-5075

- Air pressure: 150 PSI Digital
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
8 PCS	12 / 11.5	46*20*33









SY-5087

- Air pressure: 150 PSI
- Cylinder diameter: 30mm
- Air hose: 4 meters PU hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 40 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
4 PCS	10 / 9.5	45.5*34.5*18.5



SY-5087A

- Air pressure: 150 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN

G.W./N.W.(kg)	MEAS(cm)
7.5 / 7	56*14.5*18.5
	Storyt



Shunge



Shunge



SY-5094L

- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 30 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
4 PCS	7.5 / 7	28.5*23*39



SY-5083

- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 30 L/MIN







SY-5083H-5

- Air pressure: 150 PSI
- Cylinder diameter: 30mm
- Air hose: 4 meters PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 40 L/MIN





SY-5083H

- Air pressure: 150 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
8 PCS	15/14	46*21*33







th crocodile clip











- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 30 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
4 PCS	7.9 / 7.5	41.5*23.5*21.5



SY-5091

- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN

cm)	MEAS(cr	G.W./N.W.(kg)	QTY
5*21.5	41.5*23.5*	7.5 / 7	4 PCS
-			
Sha			







SY-5020B

- Air pressure: 100 PSI
- Cylinder diameter: 19mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 30 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
8 PCS	10 / 9.5	46*21*33



SY-5080

- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 30 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
10 PCS	15.5 / 15	48.5*19.7*34
Bar 1	Store	6
		ALCONT AND A



5

2

unge





- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 30 L/MIN





SY-5093

- Air pressure: 100 PSI
- Cylinder diameter: 30mm
- Air hose: 1 meter high quality rubber hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 35 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
6 PCS	13 / 12.5	38*28.5*36.5



- Air pressure: 150 PSI
- Cylinder diameter: dual 30mm
- Air hose: 5 meters high quality PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 80 L/MIN

QTY	G.W./N.W.(kg)
4 PCS	16/15























- Air pressure: 150 PSI
- Cylinder diameter: dual 30mm
- With LED light
- Air hose: 5 meters high quality PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 60 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
4 PCS	11.4 / 10.8	55.5*35.5*22.5











SY-5072

- Air pressure: 150 PSI
- Cylinder diameter: dual 30mm
- Air hose: 5 meters high quality PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 60 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
4 PCS	10 / 9.5	45.5*34.5*18.5





SY-5076L

- Air pressure: 150 PSI
- Cylinder diameter: dual 30mm
- Air hose: 5 meters high quality PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 60 L/MIN

QTY	G.W./N.W.(kg)	MEAS(cm)
4 PCS	16/15	55*37*44.5



Shunge





- Air pressure: 150 PSI
- Cylinder diameter: dual 30mm
- Air hose: 5 meters high quality PU hose
- Power cord: 3 meters cord with crocodile clip
- Accessories: 2 nozzle adapters and 1 sports needle
- Output volume: 60 L/MIN











SY-5098

- Voltage: DC 12V or 24V
- Max current: 45A
- Max pressure: 150 PSI
- Cylinder diameter: 60mm
- Air hose: 7m PA Hose
- Power cord: 3 meters cord with crocodile clip
- Output Volume: 160L/min

QTY	G.W./N.W.(kg)	MEAS(cm)
2 PCS	18.5/17.5	40*30*57



5 2

21







Accessories: 2 Nozzle Adapters and 1 Sports Needle





- Voltage: DC 12V or 24V
- Max current: 90A
- Max pressure: 150 PSI
- Cylinder diameter: dual 60mm
- Air hose: 8 meters rubber hose
- Power cord: 2.5 meters cord with crocodile clip
- Accessories: 2 Nozzle Adapters and 1 Sports Needle
- Output Volume: 300L/min

QTY	G.W./N.W.(kg)	MEAS(cm)
2 PCS	21.5/20.5	40*30*57







SY-5060

- Air pressure: 150 PSI Digital
- Cylinder diameter: 19mm
- Air hose: 50cm braided hose
- Power cord: 3 meters cord with cigrarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle







Shunge









- Air pressure: 150 PSI
- Cylinder diameter: 22mm
- Air hose: 55cm braided hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1sports needle





SY-5021

- Air pressure: 150 PSI
- Cylinder diameter: 22mm
- Air hose: 65cm braided hose
- · Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1sports needle

QTY	G.W./N.W.(kg)	MEAS(cm)
8 PCS	16 / 15	41*28*37
-		
6.		
6		T. Bull





Shunge



SY-5018

- Air pressure: 120 PSI
- Cylinder diameter: 28mm
- Air hose: 55cm braided hose
- · Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1sports needle

QTY	G.W./N.W.(kg)	MEAS(cm)
12 PCS	13/12	37*37*24.5

- Air pressure: 250 PSI
- Cylinder diameter: 16mm
- Air hose: 50cm braided hose
- · Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle

QTY	G.W./N.W.(kg)	MEAS(cm)
10 PCS	12/11	43*19.5*38.5
	A COLORING	
		Contraction of the second



Shunge



SY-5015

- Air pressure: 250 PSI
- Cylinder diamer: 16mm
- Air hose: 45cm braided hose
- · Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle

QTY	G.W./N.W.	MEAS(cm)
20 PCS	15 / 14	35.5*27.5*47



SY-5005

- Air pressure: 250 PSI
- Cylinder diameter: 16mm
- Air hose: 45cm braided hose
- · Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle

QTY	G.W./N.W.(kg)	MEAS(cm)
20 PCS	15/14	45*35*27



- Air pressure: 250 PSI
- Cylinder diamer: 16mm
- Air hose: 45cm braided hose
- Power cord: 3 meters cord with cigarette lighter
- Accessories: 2 nozzle adapters and 1 sports needle

QTY	G.W./N.W.(kg)	MEAS(cm)
18 PCS	16/15	58*28*33





















Shunge



SY-1105



SY-1107



SY-1106



SY-7001



SY-1108



SY-7004



Shunye





SY-7002

SY-7003





SY-7005









SY-8006

SY-8007

Shunge



SY-8009

SY-8010



SY-8011









Voltage: 12/24V Size: 6'/8' Wire Length: 1.5M







Voltage: 12/24V Size: 6'/8' Wire Length: 1.5M



